

Netherlands Enterprise Agency

# The Netherlands: list of fuels and standard CO<sub>2</sub> emission factors version of January 2016

Date January 2016 Status Final

> >> Sustainable. Agricultural. Innovative. International.

#### Colophon

| Project name   | Annual update of fuel list for the Netherlands |
|----------------|--|
| Project number | 105822/BL2016                                  |
| Version number | January 2016                                   |
| Project leader | P.J. Zijlema                                   |
|                |  |

Enclosures Author 0 P.J. Zijlema

a.o:

The initial version of this fuel list was approved by the Steering Committee Emission Registration (SCER) in 2004, and the list was subsequently updated on the basis of decisions of the Steering Committee concerning the CO<sub>2</sub> emission factor for natural gas at meetings held on 25 April 2006 and 21 April 2009. The Steering Committee Emission Registration delegated the authority for approving this list to the ER/Working Group on Emission Monitoring (WEM) on 21 April 2009. The present document (the version of January 2016) is approved by WEM, after detailed discussions with the Dutch Emission Authority (NEa) and several institutes that participate in the Emission Register (ER/PRTR) project,

- CBS, Statistics Netherlands,
- PBL, Netherlands Environmental Assessment Agency,
- RIVM, National Institute for Public Health and the Environment,
- RWS, Rijkswaterstaat, an agency of the Dutch Ministry of Infrastructure and the Environment responsible for the design, construction, management and maintenance of the main infrastructure facilities in the Netherlands,
- TNO, the Dutch organization for Applied Scientific Research (TNO).

## 1 Fuel list, version of January 2016

| Name (Dutch)                                | Name (English)                         | Unit    |          | ic value   |            | nit)              |       | (kg/G |       |                   |  |  |
|---|--|---------|----------|------------|------------|-------------------|-------|-------|-------|-------------------|--|--|
|   |  |         | 2014     | 2015       | 2016       | Ref <sup>1)</sup> | 2014  | 2015  | 2016  | Ref <sup>1)</sup> |  |  |
| A. Liquid Fossil, Primary Fuels             |  |         |          |            |            |                   |       |       |       |                   |  |  |
| Ruwe aardolie                               | Crude oil                              | kg      | 42.7     | 42.7       | 42.7       |                   | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Orimulsion                                  | Orimulsion                             | kg      | 27.5     | 27.5       | 27.5       | IPCC              | 77.0  | 77.0  | 77.0  | IPCC              |  |  |
| Aardgascondensaat                           | Natural Gas Liquids                    | kg      | 44.0     | 44.0       | 44.0       | CS                | 64.2  | 64.2  | 64.2  | IPCC              |  |  |
| Fossiele additieven                         | Fossil fuel additives                  | kg      | 44.0     | 44.0       | 44.0       | CS                | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
|   | Liquid Fossil, Secor                   | ndary F | uels/ Pr | oducts     |            | •                 | •     | •     |       |                   |  |  |
| Motorbenzine                                | Gasoline                               | kg      | 44.0     | 44.0       | 44.0       | CS                | 72.0  | 72.0  | 72.0  | CS                |  |  |
| Vliegtuigbenzine                            | Aviation gasoline                      | kg      | 44.0     | 44.0       | 44.0       | CS                | 72.0  | 72.0  | 72.0  | CS                |  |  |
| Kerosine luchtvaart                         | Jet Kerosene                           | kg      | 43.5     | 43.5       | 43.5       | CS                | 71.5  | 71.5  | 71.5  | IPCC              |  |  |
| Petroleum                                   | Other kerosene                         | kg      | 43.1     | 43.1       | 43.1       | CS                | 71.9  | 71.9  | 71.9  | IPCC              |  |  |
| Leisteenolie                                | Shale oil                              | kg      | 38.1     | 38.1       | 38.1       | IPCC              | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Gas-/dieselolie                             | Gas/Diesel oil                         | kg      | 42.7     | 42.7       | 42.7       | CS                | 74.3  | 74.3  | 74.3  | CS                |  |  |
| Zware stookolie                             | Residual Fuel oil                      | kg      | 41.0     | 41.0       | 41.0       | CS                | 77.4  | 77.4  | 77.4  | IPCC              |  |  |
| LPG   | Liquefied Petroleum<br>Gas (LPG)       | kg      | 45.2     | 45.2       | 45.2       | CS                | 66.7  | 66.7  | 66.7  | CS                |  |  |
| Ethaan                                      | Ethane                                 | kg      | 45.2     | 45.2       | 45.2       | CS                | 61.6  | 61.6  | 61.6  | IPCC              |  |  |
| Nafta's                                     | Naphta                                 | kg      | 44.0     | 44.0       | 44.0       | CS                | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Bitumen                                     | Bitumen                                | kg      | 41.9     | 41.9       | 41.9       | CS                | 80.7  | 80.7  | 80.7  | IPCC              |  |  |
| Smeeroliën                                  | Lubricants                             | kg      | 41.4     | 41.4       | 41.4       | CS                | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Petroleumcokes                              | Petroleum Coke                         | kg      | 35.2     | 35.2       | 35.2       | CS                | 97.5  | 97.5  | 97.5  | IPCC              |  |  |
| Raffinaderij<br>grondstoffen                | Refinery Feedstocks                    | kg      | 43.0     | 43.0       | 43.0       | IPCC              | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Raffinaderijgas                             | Refinery Gas                           | kg      | 45.2     | 45.2       | 45.2       | CS                | 67.0  | 67.0  | 67.0  | CS                |  |  |
| Chemisch restgas                            | Chemical Waste Gas                     | kg      | 45.2     | 45.2       | 45.2       | CS                | 62.4  | 62.4  | 62.4  | CS                |  |  |
| Overige oliën                               | Other oil                              | kg      | 40.2     | 40.2       | 40.2       | IPCC              | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Paraffine                                   | Paraffin Waxes                         | kg      | 42.7     | 42.7       | 42.7       | CS                | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Terpentine                                  | White Spirit and SBP                   | kg      | 43.6     | 43.6       | 43.6       | CS                | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
| Overige aardolie<br>producten               | Other Petroleum<br>Products            | kg      | 42.7     | 42.7       | 42.7       | CS                | 73.3  | 73.3  | 73.3  | IPCC              |  |  |
|   | B. Solid Fossil, Primary Fuels         |         |          |            |            |                   |       |       |       |                   |  |  |
| Antraciet                                   | Anthracite                             | kg      | 29.3     | 29.3       | 29.3       | CS                | 98.3  | 98.3  | 98.3  | IPCC              |  |  |
| Cokeskolen                                  | Coking Coal                            | kg      | 28.6     | 28.6       | 28.6       | CS                | 94.0  | 94.0  | 94.0  | CS                |  |  |
| Cokeskolen                                  | Coking Coal (used in coke oven)        | kg      | 28.6     | 28.6       | 28.6       | CS                | 95.4  | 95.4  | 95.4  | CS                |  |  |
| Cokeskolen                                  | Coking Coal (used in blast furnaces)   | kg      | 28.6     | 28.6       | 28.6       |                   | 89.8  | 89.8  | 89.8  | CS                |  |  |
| Overige bitumineuze steenkool <sup>2)</sup> | Other Bituminous<br>Coal <sup>2)</sup> | kg      | 24.9     | 24.9<br>2) | 24.9<br>2) |                   | 94.7  | 94.7  | 94.7  | CS                |  |  |
| Sub-bitumineuze<br>kool                     | Sub-Bituminous<br>Coal                 | kg      | 18.9     | 18.9       |            | IPCC              | 96.1  | 96.1  | 96.1  |                   |  |  |
| Bruinkool                                   | Lignite                                | kg      | 20.0     | 20.0       | 20.0       |                   | 101.0 | 101.0 |       | IPCC              |  |  |
| Bitumineuze Leisteen                        | Oil Shale                              | kg      | 8.9      | 8.9        | 8.9        | IPCC              | 107.0 | 107.0 | 107.0 | IPCC              |  |  |

| Name (Dutch)                              | Name (English)                            | Unit      | Calorific value (MJ/unit) |                   |                   |                   | CO₂ EF (kg/GJ)     |                    |                    |                   |  |
|---|---|-----------|---------------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|-------------------|--|
|   |   |           | 2014                      | 2015              | 2016              | Ref <sup>1)</sup> | 2014               | 2015               | 2016               | Ref <sup>1)</sup> |  |
| Turf                                      | Peat                                      | kg        | 9.76                      | 9.76              | 9.76              | IPCC              | 106.0              | 106.0              | 106.0              | IPCC              |  |
|   | Solid Fossil, Second                      | lary Fu   | els                       |                   |                   |                   |                    |                    |                    |                   |  |
| Steenkool- and<br>bruinkoolbriketten      | BKB & Patent Fuel                         | kg        | 20.7                      | 20.7              | 20.7              | IPCC              | 97.5               | 97.5               | 97.5               | IPCC              |  |
| Cokesoven/ gascokes                       | Coke Oven/Gas<br>Coke                     | kg        | 28.5                      | 28.5              | 28.5              | CS                | 106.8              | 106.8              | 106.8              | CS                |  |
| Cokesovengas                              | Coke Oven gas                             | MJ        | 1.0                       | 1.0               | 1.0               | CS                | 42.8               | 42.8               | 42.8               | CS                |  |
| Hoogovengas                               | Blast Furnace Gas                         | MJ        | 1.0                       | 1.0               | 1.0               | CS                | 247.4              | 247.4              | 247.4              | CS                |  |
| Oxystaalovengas                           | Oxy Gas                                   | MJ        | 1.0                       | 1.0               | 1.0               | CS                | 191.9              | 191.9              | 191.9              | CS                |  |
| Fosforovengas                             | Fosfor Gas                                | Nm3       | 11.0                      | 11.0              | 11.0              | CS                | 143.9              | 143.9              | 143.9              | CS                |  |
| Steenkool bitumen                         | Coal tar                                  | kg        | 41.9                      | 41.9              | 41.9              | CS                | 80.7               | 80.7               | 80.7               | IPCC              |  |
| _   | C. Gaseous Fossil Fuels                   |           |                           |                   |                   |                   |                    |                    |                    |                   |  |
| Aardgas 3)                                | Natural Gas (dry) 3)                      | Nm3<br>ae | 31.65                     | 31.65             | 31.65             | CS                | 56.4 <sup>3)</sup> | 56.5 <sup>3)</sup> | 56.5 <sup>3)</sup> | CS                |  |
| Compressed natural gas (CNG) 3)           | Compressed natural gas (CNG) 3)           | Nm3<br>ae | 31.65                     | 31.65             | 31.65             | CS                | 56.4 <sup>3)</sup> | 56.5 <sup>3)</sup> | 56.5 <sup>3)</sup> | CS                |  |
| Liquified natural gas (LNG) <sup>3)</sup> | Liquified natural gas (LNG) <sup>3)</sup> | Nm3<br>ae | 31.65                     | 31.65             | 31.65             | CS                | 56.4 <sup>3)</sup> | 56.5 <sup>3)</sup> | 56.5 <sup>3)</sup> | CS                |  |
| Koolmonoxide                              | Carbon Monoxide                           | Nm3       | 12.6                      | 12.6              | 12.6              | CS                | 155.2              | 155.2              | 155.2              | CS                |  |
| Methaan                                   | Methane                                   | Nm3       | 35.9                      | 35.9              | 35.9              | CS                | 54.9               | 54.9               | 54.9               | CS                |  |
| Waterstof                                 | Hydrogen                                  | Nm3       | 10.8                      | 10.8              | 10.8              | CS                | 0                  | 0                  | 0                  | CS                |  |
|   | Biomass                                   |           |                           |                   |                   |                   |                    |                    |                    |                   |  |
| Biomassa vast                             | Solid Biomass                             | kg        | 15.1                      | 15.1              | 15.1              | CS                | 109.6              | 109.6              | 109.6              | IPCC              |  |
| Houtskool                                 | Charcoal                                  | kg        | 30.0                      | 30.0              | 30.0              | CS                | 112.0              | 112.0              | 112.0              | IPCC              |  |
| Biobenzine                                | Biogasoline                               | kg        | 27.0                      | 27.0              | 27.0              | CS                | 72.0               | 72.0               | 72.0               | CS                |  |
| Biodiesel                                 | Biodiesels                                | kg        | 37.0                      | 37.0              | 37.0              | CS                | 74.3               | 74.3               | 74.3               | CS                |  |
| Overige vloeibare<br>biobrandstoffen      | Other liquid biofuels                     | kg        | 36.0                      | 36.0              | 36.0              | CS                | 79.6               | 79.6               | 79.6               | IPCC              |  |
| Biomassa gasvormig                        | Gas Biomass                               | Nm3       | 21.8                      | 21.8              | 21.8              | CS                | 90.8               | 90.8               | 90.8               | CS                |  |
| RWZI biogas                               | Wastewater biogas                         | Nm3       | 23.3                      | 23.3              | 23.3              | CS                | 84.2               | 84.2               | 84.2               | CS                |  |
| Stortgas                                  | Landfill gas                              | Nm3       | 19.5                      | 19.5              | 19.5              | CS                | 100.7              | 100.7              | 100.7              | CS                |  |
| Industrieel<br>fermentatiegas             | Industrial organic<br>waste gas           | Nm3       | 23.3                      | 23.3              | 23.3              | CS                | 84.2               | 84.2               | 84.2               | CS                |  |
|   | D Other fuels                             |           |                           |                   |                   |                   |                    |                    |                    |                   |  |
| Afval <sup>2)</sup>                       | Waste <sup>2)</sup>                       | Kg        | 9.8                       | 9.8 <sup>2)</sup> | 9.8 <sup>2)</sup> | CS                | 105.7              | 105.7<br>2)        | 105.7<br>2)        | CS                |  |

1) IPCC: default value from the 2006 IPCC Guidelines; CS: country specific

2) The emission factors for natural gas, CNG and LNG are updated annually. The values given in this table represent the most up-to-date values for all years concerned.

3) The calorific value and/or emission factor for these fuels are updated annually. Since the values for 2015 and 2016 are not yet known, they are set equal to the value for 2014. The figures in the above list may be modified in subsequent versions of the fuel list

### 2 Notes on the fuel list

Netherlands Enterprise Agency (RVO.nl) has been publishing the list of fuels and standard  $CO_2$  emission factors for the Netherlands annually since 2004. This list was completely revised in 2015 as a result of the obligation to follow the 2006 IPCC Guidelines in all international reports compiled in or after 2015 (the first reporting year of the second Kyoto budget period). The list contains not only calorific values and emission factors taken from the 2006 IPCC Guidelines but also a number of country-specific values. The validity of values is governed by the following rules:

- 2006 IPCC default emission factors are valid from 1990
- The country-specific calorific values and emission factors may be divided into the following three categories:
  - Most country-specific calorific values and emission factors are valid from 1990
  - A limited number of country-specific factors have an old value for the period 1990-2012 and are updated from 2013
  - The country-specific calorific value and/or emission factor for some fuels (natural gas, other bituminous coal and waste) are updated annually. In the present document (version January 2016) these values have been updated.

Readers are referred to the TNO report (Dröge, 2014) and the relevant factsheets for further details.

Various relevant institutes, were consulted during the compilation of this list. One of the involved organisations was Statistics Netherlands (CBS), to ensure consistency with the Dutch Energy Balance Sheet.

With effect from 2015, the lists of calorific values and of emission factors will both contain columns for three successive years. In the present version of the fuel list (that for January 2016), the years in question are 2014, 2015 and 2016. The values in these columns are used for the following purposes:

- 2014: these values are used in 2016 for calculations concerning the calendar year 2014, which are required for international reports concerning greenhouse gas emissions pursuant to the UN Framework Convention on Climate Change (UNFCCC), the Kyoto Protocol and the European Regulation on the monitoring and reporting of greenhouse gas emissions (MMR, 525/2013/EU). The National Inventory Report for 2016 (NIR 2016) gives full details of greenhouse gas emissions in the Netherlands up to and including 2014. The fuel list forms an integral part of the NIR 2016.
- 2015: these values are used in 2016 for reports on energy consumption and CO<sub>2</sub> emission for the calendar year 2015 in the Electronic Environmental Annual Report (e-MJV), in the monitoring of MJA3/LTA3 (Long Term Agreement on energy efficiency for the period 2005-2020) and the monitoring of the MEE/LEE covenant (Long Term Agreement on Energy-Efficiency for ETS Companies).
- 3. **2016**: these values will be used in 2017 in emission reports for the calendar year 2016 by companies participating in the EU Emission Trading Scheme (ETS) that are allowed to report the emission factor and calorific value for a given source flow in accordance with Tier 2a (country-specific values), as laid down in Art. 31-1, MRR EU No. 601/2012. The country-specific values in question may be taken from those quoted in the last-published National Inventory Report, in this case NIR 2016.

## 3 References

Dröge, R, Update of the Netherlands list of fuels for the National Inventory Report 2015 and later, TNO 2014 R11919, 2014

IPCC, 2006. 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme. Eggleston, H.S., Buendia, L., Miwa, K., Ngara, T. and Tanabe, K. (eds). Published: IGES, Japan