



# Benuttingsoverzicht 2024

Aangemaakt op 04-07-2024

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		27.000	21.407	21.407	79,29%		
ANF/07.		189.500	1.251	1.251	0,66%		
>(ANF/*8ABDE)	SC	54.200			0%		
ANF/2AC4-C		110.000	84.053	84.053	76,41%		
>(ANF/*56-14)	SC	11.500			0%		
>(ANF/*6AN58)	SC	34.500			0%		
>(ANF/*2AC4C)	SC	23.200			0%		
ARU/1/2.		12.000			0%		
ARU/3A4-C		31.000	2.265	2.265	7,31%		
ARU/567.		6.708.000	7.416.320	7.416.320	110,56%	708.320	
>BLI/12INT-	SC	1.000			0%		
>BLI/5B67-	SC	7.000			0%		
BLL/03A-C.		11.000	647	647	5,88%		
>(BLL/*2AC4-C1)	SC	11.000			0%		
BLL/07DE.		2.000	954	954	47,70%		
>(BLL/*2AC4-C2)	SC	2.000			0%		
BOR/678-			2.102	2.102		2.102	
CJM/SPRFMO		1.808.210			0%		
COD/N3M.		217.000			0%		
COD/03AN.		18.000	1.432	1.432	7,96%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
COD/07D.		35.000	398	398	1,14%		
>(COD/*2A3X4)	SC	1.800			0%		
COD/2A3AX4		1.623.700	82.101	421.397	25,95%		
>COD/*04N-	EL		339.296	339.296			
>(COD/*07D.)	SC	98.600			0%		
COD/7XAD34		0	138	138		138	
DGS/15X14		10.000			0%		
DGS/2AC4-C		99.000	2.371	2.371	2,39%		
GHL/N3LMNO		22.000			0%		
GHL/2A-C46		29.000	126	126	0,43%		
HAD/03A.		6.000	4.153	4.153	69,22%		
HAD/2AC4.		541.000	214.034	240.722	44,50%		
>(HAD/*03A.)	SC	22.550			0%		
>HAD/*04N-	EL		26.688	26.688			
>(HAD/*6AN58)	SC	45.100			0%		
HAD/7X7A34		2.000	1.875	1.875	93,75%		
HER/1/2-		2.473.000			0%		
HER/2A47DX		73.000			0%		
HER/4AB.		61.446.164	7.149.185	7.191.734	11,70%		
>HER/*4N-S62	SC		42.549	42.549			
HER/4CXB7D		31.443.923	3.263.816	3.263.816	10,38%		
>(HER/*04B.)	SC	12.215.000			0%		
HER/5B6ANB		34.764	4.567	4.567	13,14%		
HER/6AS7BC		206.000			0%		
HER/7G-K.		54.000			0%		
HKE/04-N.		120.000	13.931	13.931	11,61%		
HKE/2AC4-C		50.000	5.079	8.101	16,20%		
>HKE/*03A.	SC	5.000	3.022	3.022	60,44%		
>(HKE/*6AN58)	SC	3.000			0%		
HKE/571214		89.500	41.040	41.040	45,85%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(HKE/*8ABDE)	SC	24.000			0%		
HKE/8ABDE.		24.000			0%		
>(HKE/*57-14)	SC	7.000			0%		
JAX/2A-14		3.803.000	78.188	78.188	2,06%		
>(JAX/*07D.)	SC	191.650			0%		
>(JAX/*7D-EU)	SC	94.550			0%		
JAX/4BC7D		1.985.000	948.299	948.299	47,77%		
>(JAX/*2A4AC)	SC	191.650			0%		
>(OTH/*4BC7D)	EL	94.550			0%		
LEM/03A-C.		10.000	769	769	7,69%		
>(LEM/*2AC4-C1)	SC	10.000			0%		
LEM/07D.		8.000	1.161	1.161	14,51%		
>(LEM/*2AC4-C2)	SC	8.000			0%		
LEZ/07.		500	235	235	47,00%		
LEZ/2AC4-C		39.000	301	301	0,77%		
>(LEZ/*6AN58)	SC	7.800			0%		
LIN/03A-C.			1	1		1	
LIN/04-C.		4.000	2.589	2.589	64,73%		
>(LIN/*6AN58)	SC	800			0%		
LIN/04-N.		1.000	1.057	1.057	105,70%	57	
LIN/6X14.			162	162		162	
(L/W/2AC4-C)		183.000		35.070	19,16%		
>(LEM/2AC4-C)	SS	93.000		31.197	33,55%		
>>LEM/*2AC4-C	EL		31.197	31.197			
>(WIT/2AC4-C)	SS	90.000		3.873	4,30%		
>>WIT/*2AC4-C	EL		3.873	3.873			
(MAC/*2A14)		774.000			0%		
MAC/2A34-N		1.737.048	789.458	1.182.488	68,07%		
>(MAC/*2AX14)	SC	905.000			0%		
>MAC/*2A4AN	EL		13.129	13.129		13.129	

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>MAC/*3A4BC	EL	490.000	379.901	379.901	77,53%		
MAC/2CX14-		17.060.875	4.749.566	4.749.566	27,84%		
>(MAC/*4A-UK)	SC	20.808.000			0%		
>(MAC/*8C910)	SC	5.202.000			0%		
MRT_PEL_IND_FROZEN/MR T_2021		64.976.100	12.810.313	12.810.313	19,72%		
NEP/07.			3	3		3	
NEP/2AC4-C		585.000	177.037	177.037	30,26%		
NOP/2A3A4.		6.000			0%		
>(OT2/*2A3A4)	EL	300			0%		
(OTH/04-N.)		106.000			0%		
PLE/03AN.		2.181.000	75.321	75.321	3,45%		
PLE/2A3AX4		37.171.000	2.494.307	2.679.906	7,21%		
>PLE/*04N-	EL		185.599	185.599			
(PLE/7DE.)		9.000		10.903	121,14%	1.903	
>PLE/*07D.	EL	9.000	10.692	10.692	118,80%	1.692	
>PLE/*07E.	EL	0	211	211		211	
POK/2C3A4		60.000	13.374	35.352	58,92%		
>POK/*04N-	EL		21.978	21.978			
>(POK/*6AN58)	SC	9.000			0%		
POK/7/3411			14	14		14	
POL/07.			96	96		96	
PRA/2AC4-C		6.000			0%		
RJU/7DE.		10.000			0%		
>RNG/5B67-	SC	31.000			0%		
RNG/8X14-		3.000			0%		
>SBR/678_AMS	SC		27	27			
SKA/N3LNO.		62.000			0%		
SOL/07D.			38	38		38	
SOL/24-C.		3.257.179	1.327.487	1.327.487	40,76%		
SOL/3ABC24		26.000	2.882	2.882	11,08%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>SQI/N34.	SC	128.000			0%		
SRX/03A-C.				8		8	
>RJH/03A-C.	SS		8	8			
SRX/07D.		12.000		13.503	112,53%	1.503	
>RJC/07D.	SS	0	10.173	10.173			
>RJH/07D.	SS		1.838	1.838			
>RJM/07D.	SS		1.492	1.492			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		408.500	34	232.339	56,88%		
>RJC/2AC4-C	SS		134.777	134.777			
>RJH/04-C.	SS		56.151	56.151			
>RJM/2AC4-C	SS		41.377	41.377			
>(SRX/*07D2.)	SC	44.400			0%		
SRX/67AKXD		3.000		651	21,70%		
>RJC/67AKXD	SS		465	465			
>RJH/67AKXD	SS		55	55			
>RJM/67AKXD	SS		131	131			
>(SRX/*07D.)	SC	150			0%		
(T/B/2AC4-C)		1.854.000		523.125	28,22%		
>(BLL/2AC4-C)	SS	818.000		150.094	18,35%		
>>BLL/*2AC4-C	EL		150.094	150.094			
>TUR/*2AC4-C	EL	1.037.000	373.031	373.031	35,97%		
>USK/04-C.	SC		104	104			
USK/04-N.		0	3	3		3	
WHB/1X14		80.842.402	63.206.941	63.206.941	78,19%		
WHG/03A.		2.000	69	69	3,45%		
WHG/2AC4.		3.049.000	726.423	729.447	23,92%		
>WHG/*04N-	EL		3.024	3.024			
(WHG/7X7A-C)		190.800		351.956	184,46%	161.156	

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>WHG/*07D.	EL	152.800	314.100	314.100	205,56%	161.300	
>WHG/*7XAD	EL	38.000	37.856	37.856	99,62%		
WIT/03A-C.		1.000	38	38	3,80%		
>(WIT/*2AC4-C1)	SC	1.000			0%		