



Benuttingsoverzicht 2024

Aangemaakt op 03-10-2024

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
ANF/04-N.		27.000	25.598	25.598	94,81%		
ANF/07.		246.261	1.386	1.386	0,56%		
>(ANF/*8ABDE)	SC	59.899			0%		
ANF/2AC4-C		140.000	148.608	148.608	106,15%	8.608	
>(ANF/*56-14)	SC	11.500			0%		
>(ANF/*6AN58)	SC	34.500			0%		
>(ANF/*2AC4C)	SC	23.200			0%		
ARU/1/2.		12.000			0%		
ARU/3A4-C		31.000	14.225	14.225	45,89%		
ARU/567.		6.708.000	7.416.320	7.416.320	110,56%	708.320	
>BLI/12INT-	SC	1.000			0%		
>BLI/5B67-	SC	7.796			0%		
BLL/03A-C.		11.000	4.160	4.160	37,82%		
>(BLL/*2AC4-C1)	SC	11.000			0%		
BLL/07DE.		2.000	1.360	1.360	68,00%		
>(BLL/*2AC4-C2)	SC	2.000			0%		
BOR/678-			6.776	6.776		6.776	
COD/03AN.		18.000	6.020	6.020	33,44%		
COD/07D.		35.000	516	516	1,47%		
>(COD/*2A3X4)	SC	1.800			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
COD/2A3AX4		1.085.700	107.877	771.654	71,07%		
>COD/*04N-	EL		663.777	663.777			
>(COD/*07D.)	SC	98.600			0%		
COD/7XAD34		0	138	138		138	
DGS/03A-C.			68	68		68	
DGS/15X14		10.000			0%		
DGS/2AC4-C		99.000	2.969	2.969	3,00%		
GHL/2A-C46		32.233	45	45	0,14%		
HAD/03A.		6.000	10.983	10.983	183,05%	4.983	
HAD/2AC4.		1.004.120	784.918	846.264	84,28%		
>(HAD/*03A.)	SC	22.550			0%		
>HAD/*04N-	EL		61.346	61.346			
>(HAD/*6AN58)	SC	48.059			0%		
HAD/5BC6A.		204			0%		
HAD/6B1214		172			0%		
HAD/7X7A34		3.558	1.881	1.881	52,87%		
HER/1/2-		3.149.391		480.624	15,26%		
>HER/*2AJMN	EL		480.624	480.624			
HER/2A47DX		79.306			0%		
HER/4AB.		60.665.279	64.850.952	64.893.501	106,97%	4.228.222	
>HER/*4N-S62	SC		42.549	42.549			
HER/4CXB7D		32.628.390	3.263.958	3.263.958	10,00%		
>(HER/*04B.)	SC	13.233.619			0%		
HER/5B6ANB		12.764	4.567	4.567	35,78%		
HER/6AS7BC		206.000			0%		
HER/7G-K.		54.000			0%		
HKE/04-N.		120.000	37.778	37.778	31,48%		
HKE/2AC4-C		57.167	19.447	27.829	48,68%		
>HKE/*03A.	SC	5.684	8.382	8.382	147,47%	2.698	
>(HKE/*6AN58)	SC	3.416			0%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
HKE/571214		114.751	41.040	41.040	35,76%		
>(HKE/*8ABDE)	SC	24.052			0%		
HKE/8ABDE.		26.626			0%		
>(HKE/*57-14)	SC	7.891			0%		
JAX/2A-14		3.803.000	402.134	402.134	10,57%		
>(JAX/*07D.)	SC	191.650			0%		
>(JAX/*7D-EU)	SC	94.550			0%		
JAX/4BC7D		3.602.500	983.443	983.443	27,30%		
>(JAX/*2A4AC)	SC	191.650			0%		
>(OTH/*4BC7D)	EL	94.550			0%		
LEM/03A-C.		10.000	4.338	4.338	43,38%		
>(LEM/*2AC4-C1)	SC	10.000			0%		
LEM/07D.		8.000	1.507	1.507	18,84%		
>(LEM/*2AC4-C2)	SC	8.000			0%		
LEZ/07.		551	235	235	42,65%		
LEZ/2AC4-C		42.900	505	505	1,18%		
>(LEZ/*6AN58)	SC	8.579			0%		
LIN/03A-C.			3	3		3	
LIN/04-C.		4.000	5.080	5.080	127,00%	1.080	
>(LIN/*6AN58)	SC	800			0%		
LIN/04-N.		1.000	1.070	1.070	107,00%	70	
LIN/6X14.		1.000	162	162	16,20%		
>(LIN/*04-C.)	SC	1.000			0%		
(L/W/2AC4-C)		152.000		62.834	41,34%		
>(LEM/2AC4-C)	SS	93.000		54.606	58,72%		
>>LEM/*2AC4-C	EL		54.606	54.606			
>(WIT/2AC4-C)	SS	59.000		8.228	13,95%		
>>WIT/*2AC4-C	EL		8.228	8.228			
(MAC/*2A14)		797.100			0%		
MAC/2A34-N		1.911.697	6.202.668	6.956.690	363,90%	5.044.993	

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>(MAC/*2AX14)	SC	1.012.058			0%		
>MAC/*2A4AN	EL		172	172			
>MAC/*3A4BC	EL	507.754	753.850	753.850	148,47%	246.096	
MAC/2CX14-		19.413.700	4.837.416	4.837.416	24,92%		
>(MAC/*4A-UK)	SC	23.403.009			0%		
>(MAC/*8C910)	SC	5.695.749			0%		
MAC/8C3411		20			0%		
MRT_PEL_IND_FROZEN/M RT_2021		64.976.100	18.194.921	18.194.921	28,00%		
NEP/07.			3	3		3	
NEP/2AC4-C		923.542	717.782	717.782	77,72%		
NOP/2A3A4.		9.306	6.406	6.406	68,84%		
>(OT2/*2A3A4)	EL	503			0%		
OTH/04-N.		106.000	103.291	103.291	97,44%		
PLE/03AN.		2.430.237	280.378	280.378	11,54%		
PLE/2A3AX4		41.444.423	4.279.359	4.520.183	10,91%		
>PLE/*04N-	EL		240.824	240.824			
(PLE/7DE.)		24.046		16.468	68,49%		
>PLE/*07D.	EL	19.000	16.192	16.192	85,22%		
>PLE/*07E.	EL	0	276	276			
POK/2C3A4		123.149	54.906	135.600	110,11%	12.451	
>POK/*04N-	EL		80.694	80.694			
>(POK/*6AN58)	SC	9.823			0%		
POK/56-14		2.142			0%		
POK/7/3411			14	14		14	
POL/07.			101	101		101	
PRA/2AC4-C		6.000			0%		
RJU/7DE.		10.700			0%		
>RNG/5B67-	SC	31.000			0%		
RNG/8X14-		3.000			0%		
>SBR/678_AMS	SC		30	30			

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
SKA/N3LNO.		62.000			0%		
SOL/07A.		69.000			0%		
SOL/07D.		0	62	62		62	
SOL/24-C.		3.262.279	2.110.008	2.110.008	64,68%		
SOL/3ABC24		30.533	5.156	5.156	16,89%		
SPR/2AC4-C		587.000	10.891	10.891	1,86%		
>(OTH/*2AC4C)	EL	13.920			0%		
SPR/7DE.		134.000			0%		
>SQI/N34.	SC	128.000			0%		
SRX/03A-C.			174	351		351	
>RJH/03A-C.	SS		78	78			
>RJM/03A-C.	SS		99	99			
SRX/07D.		12.000		43.579	363,16%	31.579	
>RJC/07D.	SS	0	37.576	37.576			
>RJH/07D.	SS		2.359	2.359			
>RJM/07D.	SS		3.644	3.644			
>(SRX/*2AC4C)	SC	1.300			0%		
>(SRX/*67AKD)	SC	650			0%		
SRX/2AC4-C		484.500	51	390.599	80,62%		
>RJC/2AC4-C	SS		220.294	220.294			
>RJH/04-C.	SS		109.629	109.629			
>RJM/2AC4-C	SS		60.625	60.625			
>(SRX/*07D2.)	SC	50.400			0%		
SRX/67AKXD		3.000		654	21,80%		
>RJC/67AKXD	SS		465	465			
>RJH/67AKXD	SS		58	58			
>RJM/67AKXD	SS		131	131			
>(SRX/*07D.)	SC	150			0%		
(T/B/2AC4-C)		1.769.000		873.901	49,40%		
>(BLL/2AC4-C)	SS	788.000		277.077	35,16%		

Visbestand	SC	Quotum hoeveelheid [kg]	Benutting [kg]	Totale benutting [kg]	Benutting [%]	Overschrijding	Sluiting
>>BLL/*2AC4-C	EL		277.077	277.077			
>TUR/*2AC4-C	EL	982.000	596.824	596.824	60,78%		
>USK/04-C_AMS	SC		104	104			
USK/04-N.		0	3	3		3	
WHB/1X14		83.546.421	64.622.719	64.625.354	77,35%		
>WHB/*NZJM1	SA		2.635	2.635			
WHG/03A.		2.000	208	208	10,40%		
WHG/2AC4.		3.205.456	963.554	970.303	30,27%		
>WHG/*04N-	EL		6.749	6.749			
(WHG/7X7A-C)		440.800		361.251	81,95%		
>WHG/*07D.	EL	390.300	322.993	322.993	82,76%		
>WHG/*7XAD	EL	50.500	38.258	38.258	75,76%		
WIT/03A-C.		1.000	37	37	3,70%		
>(WIT/*2AC4-C1)	SC	1.000			0%		